


## Endosonographic visualization of a mediastinal pancreatic pseudocyst




► **Fig. 1** Chest computed tomography (coronal view). The hyperdense anomaly (arrow) represents a well-defined pseudocyst expanding into the mediastinum.

A 55-year-old woman with a history of chronic pancreatitis secondary to alcohol use presented initially with abdominal pain, unintentional weight loss, and progressive fatigue. A computed tomography (CT) scan revealed pancreatic inflammation and a 3-cm pancreatic pseudocyst, which was confirmed on endoscopic ultrasound (EUS), centered near the body of the pancreas.

Two months later, the patient's symptoms returned despite symptom resolution during the initial hospitalization. In addition to her abdominal pain, the patient presented with hemoptysis and dysphagia. She was readmitted and chest CT identified a well-defined, rapidly expanding fluid collection that extended from the head of the pancreas to the mediastinum (► **Fig. 1**). Therapeutic EUS-guided transmural drainage was planned; however, EUS examination revealed arterial flow in the mediastinal segment of the pseudocyst as well as a valve-like structure (► **Fig. 2**) connecting the mediastinal and abdominal components of the pseudocyst (► **Video 1**). Due to concern that transmural drainage would result in bleeding from vessels within the mediastinal component of the collection, drain-



► **Fig. 2** Endoscopic ultrasound view of the mediastinal and abdominal components of the pseudocyst. The valve-like structure between the two components allowed communication between the mediastinal and abdominal segments.



► **Video 1** Endoscopic ultrasound visualization of a large pseudocyst extending from the head of the pancreas to the mediastinum with identification of a valve-like structure between the abdominal and mediastinal components.

age was not performed. Conservative management was pursued and follow-up EUS imaging 6 weeks later revealed diminished size of the pseudocyst. Mediastinal pancreatic pseudocysts are a rare complication of acute or chronic pancreatitis that have been sporadically

reported in case reports [1, 2]. EUS-guided drainage offers a potential treatment option with rapid symptom resolution [3]. Symptom recurrence after endoscopic drainage, however, may prompt surgical intervention. This case highlights a situation in which conservative man-

agement may be beneficial, demonstrating the value of EUS and Doppler imaging to determine the safety of endoscopic pseudocyst drainage.

Endoscopy\_UCTN\_Code\_CCL\_1AF\_2AZ

### Competing interests

The authors declare that they have no conflict of interest.

### The authors

**Alexander Y. Lee, Anna Cecilia Amaral, Samuel Han**

Division of Gastroenterology, Hepatology, and Nutrition, The Ohio State University Wexner Medical Center, Columbus, Ohio, USA

### Corresponding author

**Samuel Han, MD, MS**

Division of Gastroenterology, Hepatology, and Nutrition, The Ohio State University Wexner Medical Center, 410 W 10th Avenue, Columbus, Ohio 43210-1240, USA  
Samuel.Han@osumc.edu

### References

- [1] Bhasin DK, Rana SS, Rao C et al. Clinical presentation, radiological features, and endoscopic management of mediastinal pseudocysts: experience of a decade. *Gastrointest Endosc* 2012; 76: 1056–1060. doi:10.1016/j.gie.2012.06.021
- [2] Mallavarapu R, Habib TH, Elton E et al. Resection of mediastinal pancreatic pseudocysts with transpapillary stent placement. *Gastrointest Endosc* 2001; 53: 367–370. doi:10.1016/s0016-5107(01)70421-x
- [3] Gornals JB, Loras C, Mast R et al. Endoscopic ultrasound-guided transesophageal drainage of a mediastinal pancreatic pseudocyst using a novel lumen-apposing metal stent. *Endoscopy* 2012; 44 (Suppl. 02): E211–212. doi:10.1055/s-0032-1309384

### Bibliography

*Endoscopy* 2023; 55: E214–E215  
DOI 10.1055/a-1966-0302  
ISSN 0013-726X  
published online 18.11.2022  
© 2022. The Author(s).

This is an open access article published by Thieme under the terms of the Creative Commons Attribution-NonDerivative-NonCommercial License, permitting copying and reproduction so long as the original work is given appropriate credit. Contents may not be used for commercial purposes, or adapted, remixed, transformed or built upon. (<https://creativecommons.org/licenses/by-nc-nd/4.0/>)  
Georg Thieme Verlag KG, Rüdigerstraße 14, 70469 Stuttgart, Germany



### ENDOSCOPY E-VIDEOS

<https://eref.thieme.de/e-videos>



*Endoscopy E-Videos* is an open access online section, reporting on interesting cases and new techniques in gastroenterological endoscopy. All papers include a high quality video and all contributions are freely accessible online. Processing charges apply (currently EUR 375), discounts and waivers acc. to HINARI are available.

This section has its own submission website at  
<https://mc.manuscriptcentral.com/e-videos>