


## Novel resection technique for large flat colorectal tumors: Clip-line-assisted underwater endoscopic mucosal resection



Underwater endoscopic mucosal resection (U-EMR) enables the resection of large colorectal tumors without local injection [1]. Endoscopic submucosal dissection (ESD) is often used for lesions larger than 20 mm. Historically, the rate of en bloc resection with U-EMR is lower than that with ESD [2]. We have devised clip-line-assisted U-EMR (CLU-EMR) for the resection of large tumors in the duodenum [3]. Herein, we present the successful resection of a large, flat 40-mm colorectal tumor using CLU-EMR.

A 70-year-old woman who presented with bloody stools underwent lower gastrointestinal endoscopy. A 40-mm Paris type 0-IIa tumor was found in the ascending colon (► **Fig. 1**, ► **Video 1**). The lesion was resected using CLU-EMR. First, a clip line was made, with the line inserted into the gap at the base of the clip (EZ Clip, HX-610-090; Olympus Co., Tokyo, Japan), which allowed the line to be cut when strongly pulled (locking clip technique) [4]. The clip line was inserted through the accessory channel and secured at a distance distal to the lesion. A snare tip (Rotasnares 35 mm; Medi-Globe GmbH, Achenmühle, Germany) was placed proximally to the clip line, and the snare was spread. A rotating snare was used to allow the snare to pass under the line. CLU-EMR was performed, allowing the whole tumor to be snared. The line was then cut at the base of the clip by pulling on the line at hand. The tumor was resected en bloc without intraoperative perforation. The mucosal defect was completely closed using the reopenable-clip-over-the-line method [5]. Pathology revealed a sessile serrated lesion and complete resection of the tumor. This case demonstrates CLU-EMR as an effective method for en bloc resection of large flat colorectal tumors.



► **Fig. 1** En bloc resection of a 40-mm sessile serrated lesion (SSL) in the ascending colon using clip-line-assisted underwater endoscopic mucosal resection (CLU-EMR). **a** A 40-mm SSL in the ascending colon. **b** Conventional U-EMR could not completely capture the lesion with a snare due to its large size. **c** The clip line is placed to the oral side of the marking. **d** Using the clip as an anchor to completely capture the lesion inside in the snare. **e** Ensuring that the marking is in the snare. **f** The SSL is completely resected. **g** The mucosal defect is closed using the reopenable-clip-over-the-line method. **h** Completely closed mucosal defect. **i** A 52-mm specimen resected using CLU-EMR. Pathology revealed an SSL and complete resection of the tumor.

### Competing interests


The authors declare that they have no conflict of interest.

### The authors

Emi Kwon Ohmura<sup>1</sup>, Tatsuma Nomura<sup>1,2</sup>, Hiroto Suzuki<sup>1</sup>, Keiichi Ito<sup>1</sup>

- 1 Department of Gastroenterology, Mie Prefectural Shima Hospital, Shima, Mie, Japan
- 2 Department of Gastroenterology, Ise Red Cross Hospital, Ise, Mie, Japan

Endoscopy\_UCTN\_Code\_CPL\_1AJ\_2AD



**Video 1** Complete resection of a large sessile serrated lesion in the ascending colon using the clip-line-assisted underwater endoscopic mucosal resection technique.

## Bibliography

Endoscopy 2023; 55: E585–E586

DOI 10.1055/a-2051-8154

ISSN 0013-726X

© 2023. The Author(s).

This is an open access article published by Thieme under the terms of the Creative Commons Attribution-NonDerivative-NonCommercial License, permitting copying and reproduction so long as the original work is given appropriate credit. Contents may not be used for commercial purposes, or adapted, remixed, transformed or built upon. (<https://creativecommons.org/licenses/by-nc-nd/4.0/>)

Georg Thieme Verlag KG, Rüdigerstraße 14,  
70469 Stuttgart, Germany



## ENDOSCOPY E-VIDEOS

<https://eref.thieme.de/e-videos>



*Endoscopy E-Videos* is an open access online section, reporting on interesting cases and new techniques in gastroenterological endoscopy. All papers include a high quality video and all contributions are freely accessible online. Processing charges apply, discounts and waivers acc. to HINARI are available.

This section has its own submission website at  
<https://mc.manuscriptcentral.com/e-videos>

## Corresponding author

### Tatsuma Nomura, MD

Department of Gastroenterology, Mie  
Prefectural Shima Hospital, 1257 Ugata,  
Ago, Shima, Mie 517-0595, Japan  
Fax: +81-5-9943-2507  
[m06076tn@icloud.com](mailto:m06076tn@icloud.com)

## References

- [1] Barclay RL, Percy DB. Underwater endoscopic mucosal resection without submucosal injection (UEMR) for large colorectal polyps: A community-based series. *Am J Surg* 2020; 220: 693–696
- [2] Inoue T, Nakagawa K, Yamasaki Y et al. Underwater endoscopic mucosal resection versus endoscopic submucosal dissection for 20–30 mm colorectal polyps. *J Gastroenterol Hepatol* 2021; 36: 2549–2557
- [3] Nomura T, Nakamura H, Sugimoto S et al. Clip-line-assisted underwater endoscopic mucosal resection for duodenal adenoma. *Endoscopy* 2022; 54: E968–E969
- [4] Nomura T, Kamei A, Sugimoto S. Clip line traction method using locking clip technique for colorectal endoscopic submucosal dissection. *Dig Endosc* 2019; 31: e72–e73
- [5] Nomura T, Sugimoto S, Kawabata M et al. Large colorectal mucosal defect closure post-endoscopic submucosal dissection using the reopenable clip over line method and modified locking-clip technique. *Endoscopy* 2022; 54: E63–E64