E-Videos

Use of a novel clip-band device for difficult biliary cannulation due to papillary edema after precutting





▶ Fig. 1 Endoscopic images showing significant edema in the papilla after precutting, which obscured the visibility of the incision site.

Duodenoscopic clipping is often challenging because the duodenoscope elevator may disrupt the opening and rotation of the clip. However, the SureClip (Micro-Tech Co. Ltd., Nanjing, China), which provides enhanced rotational and re-opening performance, facilitates easier clipping while using a duodenoscope [1]. Recently, a novel clip-band device called the SureClip Traction Band (Micro-Tech Co. Ltd.) was developed and reported to be a useful traction device for endoscopic submucosal dissection [2]. The device consists of the SureClip and an elastic silicone band. Here, we describe the use of a novel clip-band device for difficult biliary cannulation due to significant edema of the major papilla after pre-cutting.

A 77-year-old woman with common bile duct stones was referred to our department. Endoscopic retrograde cholangiopancreatography (ERCP) was attempted; however, biliary cannulation was unsuccessful even after precutting with a needle knife. Three days later, a second ERCP was performed, which revealed significant papillary edema that hindered the visibility of the incision site (**Fig.1**). Therefore, a traction device was used to improve visibility. First, a



▶ Fig. 2 a Endoscopic image showing a metallic clip with an elastic band placed at the left edge of the incision site. b Endoscopic image shows that the first clip with the elastic band is towed by the second clip attached to the duodenal mucosa a few centimeters away from the papilla.



► Fig. 3 Endoscopic image showing improved visibility of the incision site after the traction of the incision edges.

metallic clip (SureClip Traction Band) was placed at the left edge of the incision site (**Fig.2a**). The elastic band was then grasped with another metallic clip (Sure-Clip), pulled toward the left side of the papilla, and attached to the duodenal mucosa a few cm away from the papilla (**Fig.2b**). The same procedure was performed on the right edge, which resulted in improved visibility (**Fig.3**). Biliary



▶ Fig. 4 Endoscopic image showing a guidewire inserted into the bile duct using a double-lumen cannula.

cannulation was achieved using the double-guidewire technique with a double-lumen cannula (Uneven Double Lumen Cannula; Piolax Medical Devices, Kanagawa, Japan) [3,4] (▶ Fig. 4). Biliary drainage was performed using a 7 Fr double pigtail plastic stent (▶ Video 1). This case shows the use of a period

This case shows the use of a novel clipband device to improve the visibility of the papilla.



Video 1 Significant edema observed in the papilla after precutting, which obscured the visibility of the incision site. Visibility was enhanced using the novel clip-band device and successful biliary drainage was performed.

Endoscopy_UCTN_Code_TTT_1AR_2AC

Competing interests

The authors declare that they have no conflict of interest.

The authors

Koichiro Mandai[©], Tomoya Ogawa

Department of Gastroenterology, Kyoto Second Red Cross Hospital, Kyoto, Japan

Corresponding author

Koichiro Mandai, MD

Department of Gastroenterology, Kyoto Second Red Cross Hospital, 355-5 Haruobicho, Kamigyo-ku, Kyoto 602-8026, Japan Fax: +81-75-256-3451 mndkchr@gmail.com

References

- [1] Miwa H, Sugimori K, Tsuchiya H et al. Novel clip device for prevention of bleeding after endoscopic papillectomy. DEN Open 2022; 2: e51
- [2] Iwao A, Ichijima R, Ikehara H. Usefulness of the "elastic traction device" in gastric endoscopic submucosal dissection. Dig Endosc 2022; 34: e139-e140
- [3] Takenaka M, Minaga K, Kamata K et al. Efficacy of a modified double-guidewire technique using an uneven double lumen cannula (uneven method) in patients with surgically altered gastrointestinal anatomy (with video). Surg Endosc 2020; 34: 1432-1441
- [4] Mandai K, Uno K, Yasuda K. EUS-guided antegrade pancreatic guidewire placement for double-guidewire technique in single balloon enteroscope-assisted ERCP. | Hepatobiliary Pancreat Sci 2021; 28: e52-e53

Bibliography

Endoscopy 2023; 55: E975-E976 DOI 10.1055/a-2134-7448 ISSN 0013-726X © 2023. The Author(s).

This is an open access article published by Thieme under the terms of the Creative Commons Attribution License, permitting unrestricted use, distribution, and reproduction so long as the original work is properly cited. (https://creativecommons.org/licenses/by/4.0/) Georg Thieme Verlag KG, Rüdigerstraße 14, 70469 Stuttgart, Germany



ENDOSCOPY E-VIDEOS https://eref.thieme.de/e-videos



E-Videos is an open access online section of the journal Endoscopy, reporting on interesting cases and new techniques in gastroenterological endoscopy. All papers include a high-quality video and are published with a Creative Commons CC-BY license. Endoscopy E-Videos qualify for HINARI discounts and waivers and eligibility is automatically checked during the submission process. We grant 100% waivers to articles whose corresponding authors are based in Group A countries and 50% waivers to those who are based in Group B countries as classified by Research4Life (see: https:// www.research4life.org/access/eligibility/).

This section has its own submission website at https://mc.manuscriptcentral.com/e-videos