


Gastric endoscopic submucosal dissection through a gastrostomy using a newly developed thin endoscope

OPEN
ACCESS




▶ Video 1 Gastric endoscopic submucosal dissection is performed through a gastrostomy using a newly developed thin endoscope.


A 76-year-old man underwent follow-up endoscopy after undergoing curative endoscopic submucosal dissection (ESD) for esophageal cancer [1]. He had a past history of advanced pharyngeal cancer, which had been treated with chemoradiotherapy, and had a percutaneous endoscopic gastrostomy because of persistent trismus (**▶ Fig. 1**). The follow-up endoscopy, performed via transnasal endoscopy, revealed a 6-mm depressed lesion in the lesser curvature of the antrum, and a biopsy confirmed adenocarcinoma (**▶ Fig. 2**). ESD using a newly developed endoscope [2,3] was performed to treat the gastric cancer. First, the catheter through the gastrostomy was removed and an endoscope with a diameter of 7.9 mm (EG-840TP; Fujifilm, Tokyo, Japan) was inserted through the gastrostomy (**▶ Fig. 3**, **▶ Video 1**). Circumferential marking, mucosal incision, and circumferential incision were performed, and submucosal dissection was subsequently performed until the tumor was resected en bloc (**▶ Fig. 4**), taking 9 minutes. The lesion was retrieved




▶ Fig. 1 Photograph showing persisting trismus after chemoradiotherapy for advanced pharyngeal cancer.



▶ Fig. 2 Endoscopic images showing a slightly depressed lesion at the lesser curvature of the antrum viewed on transnasal endoscopy.



▶ Fig. 3 An endoscope was inserted through gastrostomy.



▶ Fig. 4 Macroscopic appearance of the lesion, which was resected en bloc.

through the gastrostomy, and a new catheter was placed into the gastrostomy using a guidewire. The final pathologic diagnosis was a 6×6-mm, 0-IIc, well-differentiated tubular adenocarcinoma, pT1a, pUL0, ly0, v0, pHM0, pVM0. Although the newly developed endoscope has a large working channel of 3.2 mm and offers wide angles (up 210°; down 160°), its small width of 7.9 mm enabled efficient ESD to be performed through the gastrostomy without dilation [1].

Endoscopy_UCTN_Code_TTT_1AO_2AG_3AD

Conflict of Interest

S. Shichijo has received honoraria from Fujifilm Medical, Olympus, EA Pharma, Astra Zeneca, AI Medical Service, and Janssen Pharmaceutical. N. Uedo has received honoraria from Olympus, Fujifilm Medical, Boston Scientific, Daiichi-Sankyo, Takeda Pharmaceutical, EA Pharma, Otsuka Pharmaceutical, AstraZeneca, Miyarisan Pharmaceutical, and AI Medical Service. H. Mori, K. Higashino, and T. Michida declare that they have no conflict of interest.

The authors

Satoki Shichijo¹, Mori Hitoshi¹, Koji Higashino¹, Noriya Uedo¹, Tomoki Michida¹

¹ Gastrointestinal Oncology, Osaka International Cancer Institute, Osaka, Japan

Corresponding author

Satoki Shichijo, MD, PhD

Department of Gastrointestinal Oncology,
Osaka International Cancer Institute, 3-1-69,
Otemae, Chuo-ku, Osaka, 541-8567, Japan
7satoki@oici.jp
satoki7@yahoo.co.jp

References

- [1] Shichijo S, Kawakami Y, Higashino K et al. Retrograde esophageal endoscopic submucosal dissection through a gastrotomy. *Endoscopy* 2023; 55: E507–E508
- [2] Shichijo S, Miyake M, Ishihara R. Usefulness of the ultrathin endoscope with a newly developed knife for complex esophageal endoscopic submucosal dissection. *VideoGIE* 2023; 8: 183–185. doi:10.1016/j.vgie.2023.01.006

- [3] Shichijo S, Kawakami Y, Kizawa A et al. Endoscopic submucosal dissection for a duodenal polyp at the upper aspect of the duodenal bulb using a newly developed endoscope. *VideoGIE* 2023; 8: 509–511. doi:10.1016/j.vgie.2023.07.016

Bibliography

Endoscopy 2024; 56: E506–E507

DOI 10.1055/a-2333-9313

ISSN 0013-726X

© 2024. The Author(s).

This is an open access article published by Thieme under the terms of the Creative Commons Attribution License, permitting unrestricted use, distribution, and reproduction so long as the original work is properly cited.

(<https://creativecommons.org/licenses/by/4.0/>)

Georg Thieme Verlag KG, Rüdigerstraße 14,
70469 Stuttgart, Germany



ENDOSCOPY E-VIDEOS

<https://eref.thieme.de/e-videos>



E-Videos is an open access online section of the journal *Endoscopy*, reporting on interesting cases and new techniques in gastroenterological endoscopy. All papers include a high-quality video and are published with a Creative Commons CC-BY license. *Endoscopy E-Videos* qualify for HINARI discounts and waivers and eligibility is automatically checked during the submission process. We grant 100% waivers to articles whose corresponding authors are based in Group A countries and 50% waivers to those who are based in Group B countries as classified by Research4Life (see: <https://www.research4life.org/access/eligibility/>).

This section has its own submission website at <https://mc.manuscriptcentral.com/e-videos>