

Index to Volume 30

Authors

Aazh H, 712, 772, 802
 Abrams H, 472
 Agrawal SK, 227
 Aithal S, 781
 Aithal V, 781
 Alemi R, 396
 Ali YHK, 417
 Allan C, 904
 Allen P, 904
 Ameyaw GA, 178
 Anderson S, 781
 Andersson G, 31, 472
 Anim-Sampong S, 178
 Ankmnal-Veeranna S, 904
 Arndt S, 607
 Arnold ML, 145
 Aschendorff A, 607
 Azios JH, 31, 810
 Azzarello J, 845

Baguley DM, 802
 Bailey A, 472
 Bakke M, 659
 Baldock J, 264
 Baldwin J, 845
 Balen SA, 6
 Barac-Cikoja D, 659
 Baril I, 720
 Barman A, 753
 Behrens T, 634
 Bellon-Harn M, 31
 Bellon-Harn ML, 810
 Benedict C, 856
 Bennett ML, 918
 Bennett RJ, 516
 Beshear D, 493
 Bornman M, 217
 Brittz M, 482
 Brown CRS, 564
 Brännström KJ, 169
 Bush M, 493
 Buñag R, 78
 Butera IM, 235

Cameron S, 533
 Canale E, 431
 Carlson KF, 250
 Castillo P, 431
 Cañete OM, 564
 Chang H-Y, 187
 Chen W-X, 672
 Chermak G, 451, 735
 Chew YY, 346
 Chisolm TH, 145

Ciro CA, 845
 Cline T, 493
 Couture M, 720
 Coyle D, 93
 Cruickshanks KJ, 282
 Côté, 720

Dalton DS, 282
 Danesh AA, 772
 Daneshi A, 896
 Danhauer JL, 677
 Davidson LS, 703
 Davis A, 208
 De Jager LB, 217
 Diehm E, 273
 Dillard LK, 282, 406
 Dockens AL, 31, 810
 Doettl SM, 792
 Dorman MF, 731
 Durieux-Smith A, 93
 Dwyer RT, 235

Easterday M, 634, 792
 Eikelboom RH, 217, 516
 Entwisle L, 827
 Escabi CD, 145

Fang X, 54
 Farhadi M, 896
 Feeney MP, 250
 Ferguson MA, 417
 Fischer ME, 282
 Fitzpatrick EM, 93
 Fitzpatrick J, 93
 Flagge A, 31
 Folkeard P, 227, 856
 Folmer RL, 250
 Fox A, 764
 Frederick MT, 145, 406

Gaboury I, 93
 Gaeta L, 845
 Gaffney P, 550
 Galster J, 315
 Gardner A, 145
 Gifford RH, 235, 918
 Gilbane MS, 918
 Glassman J, 273
 Glista D, 552
 Gopal KV, 431, 619
 Gorga MP, 16
 Goupell MJ, 659
 Govindaswamy R, 744

Hallendorf L, 169
 Harianawala J, 315

Harn WE, 810
 Hatton K, 293
 Hau O, 590
 Hawkins M, 552
 Haynes DS, 918
 Heacock RM, 451, 871
 Hedrick M, 103
 Heeke P, 54
 Heinze B, 482
 Helmer D, 764
 Herring CC, 54
 Hoffer ME, 579
 Hood LJ, 459
 Hornsby B, 315
 Hua N-Y, 672
 Huang Y, 672
 Huber A, 607
 Hudson MA, 845
 Hutcheson A, 431

Jacobson GP, 248, 450, 656
 Jagadish N, 744
 Janeteas C, 227
 Jiang W, 672
 Jilla AM, 677
 John AB, 845
 Johnson CE, 677, 845
 Jones J, 431

Kaiser K, 431
 Kallogjeri D, 502
 Kapadia S, 264
 Karayanidi K, 115
 Kei J, 781
 Kelley KS, 363
 Kelly-Campbell RJ, 31
 Kessler D, 235
 Kitner BH, 357
 Klein BEK, 282
 Klein R, 282
 Koch RW, 227
 Kopun JG, 16
 Korhonen P, 302, 590
 Kuk F, 302, 590

Ladak HM, 227
 Lake AB, 41
 Langley LM, 208
 Laszig R, 607
 Leblond J, 720
 Ledda KT, 502
 Lee R, 93
 Lehman M, 883
 Lehmann A, 396
 Lewis JD, 792

- Liebenberg S, 781
Littenberg B, 363
Lo T-S, 187
Long GR, 459
Lu P, 672
Luo C-H, 187
- Mahmoudian S, 896
Mahomed-Asmail F, 482
Maidment DW, 417
Makowiec K, 293
Malmstein E, 169
Manchaiah V, 31, 472, 810
Mann L, 883
Martindale AT, 856
Mathews L, 431
McCarron K, 764
McCaslin D, 293
McCaslin DL, 344, 550, 742
McCullough S, 431
McFarland DJ, 649
McMahon CM, 208
Mealings K, 533
Messersmith JJ, 827
Meyer CJ, 516
Mills LE, 619
Mohebbi M, 896
Montano JJ, 871
Montminy S, 720
Moodie S, 227
Moore BCJ, 772, 802
Moore DR, 6
Morency C-E, 720
Mosley CL, 208
Mülder HE, 607
Murfee J, 918
Musiek F, 451, 735
Muñoz K, 66, 444
- Nagle S, 694
Nair E, 198
Nandy R, 619
Nassiri AM, 919
Natale SC, 731
Neff M, 564
Neely ST, 16
Nelson L, 66
Nelson MD, 883
Nicholson C, 883
Nickerson A, 703
Nondahl DM, 282
- Oeding K, 502
Olsson A, 169
Ong C, 444
Oree PH, 145
Osinubi O, 764P
- Pakulski LA, 273
Palmer S, 694
Pankow JS, 282
Parsa V, 552
- Paulsen AJ, 282
Peck JE, 927
Penman T, 145
Phillips BS, 619
Picou EM, 131
Pigeon A, 451
Pilch S, 656
Plyler PN, 103, 634, 792
Pomponio ME, 694
Post CE, 54
Pourmand N, 552
Preminger JE, 871
Price T, 66
Purdy SC, 564
- Quar TK, 346
- Rajguru S, 579
Rasetshwane DM, 16
Rawool V, 78
Raybine DA, 16
Reed MB, 153
Ribera J, 178
Ricketts TA, 131
Riska K, 764
Roberts JB, 918
Romero DJ, 357
Roos M, 720
Roy J-S, 720
- Salamatmanesh M, 93
Salvi R, 712
Sameshima K, 6
Sanchez KR, 677
Sanchez VA, 145
Satcher S, 764
Saunders G, 250
Saunders GH, 145, 406
Schafer EC, 431
Schmid F, 607
Schubert CR, 282
Scollie S, 227, 552
Scott M, 827
Searchfield GD, 327
Sell S, 250
Seper E, 302, 590
Shinn J, 493
Silverman SPC, 145, 406
Singh NK, 744, 753
Skoe E, 115
Slugocki C, 302, 590
Smart JL, 694
Smith KJ, 357
Snapp HA, 579
Sousa R, 198
Spahr A, 579
Spankovich C, 459
Speck I, 607
Squires ES, 273
Stoltz A, 482
Stuart A, 41
Sullivan JC, 677
Swanepoel DW, 217, 482
- Tai C-C, 187
Tardy B, 103
Thirunavukkarasu K, 753
Thompson S, 431
Thorne PR, 564
Torre P, 153
Tremblay KL, 208
Trott S, 493
Tseng C-L, 764
Tweed TS, 282
Twohig M, 66
Twohig MP, 444
- Uchanski RM, 703
Umat C, 346
- Vachhani J, 250
Vaisberg JM, 552, 856
Valente M, 502
van Steenbrugge W, 264
Vermiglio AJ, 54
- Waechter S, 169
Wang B, 672
Wang Y, 672
Wannagot S, 198
Warren S, 827
Weihsing J, 451, 493, 735
Wesarg T, 607
Westermann LC, 145
Whicker JJ, 444
Whittingham JA, 93
Wiebe K, 607
Wilson MJ, 357
Wilson RH, 370
- Xu Z-M, 672
- Yawn RJ, 918
- Zaleski-King A, 659
- Key Words**
- (central) auditory processing, 694
(central) auditory processing disorder, 694
- achieved gain, 346
action potential, 41
adaptive test, 315
adults, 552
adult children, 93, 677, 871
adverse childhood experiences, 772
AEMT, 315
Africa, 178
age-related hearing loss, 145, 208, 250, 273, 417
aging, 208, 217, 845
agreement, 363
aided audibility index, 16

- air conduction oVEMP, 753
american academy of audiology
 guidelines, 827
amplification, 93, 502
amplitude modulation, 533
anxiety, 802
assessment, 792, 845
assistive listening device, 187, 579
attention, 451
audiologists, 677
audiology, 54, 178, 250, 810
audiometry, 208, 482
auditory neuropathy, 672
auditory perception, 370
auditory plasticity, 564
auditory processing disorder, 6, 904
auditory processing disorders, 451, 904
auditory rehabilitation, 198, 250, 406, 871
auditory steady-state response, 672
auditory training, 431
autism spectrum disorder, 431
automated audiometry, 217
axonal conduction time, 904
- balance, 883
beamformer, 731
best practice guidelines, american
 academy of audiology, 827
bilingual, 115
Bluetooth, 187
brong-ahafo regional hospital, 178
- Caucasian, 78
central auditory function, 282
central auditory processing
 disorder, 493, 904
cervical dysfunction, 720
childhood hearing loss, 178, 250, 273, 417, 703
children, 6, 552, 677, 94
chirp, 396
click-evoked ABR, 904
client oriented scale of
 improvement, 327
clinical consultation, 810
clinician-client communication, 810
cochlear implant, 235, 396, 731
cochlear implant guidelines, 827
cochlear implantation, 607, 918
cochlear implants, 198, 235, 396, 607, 659, 677, 703, 731, 827
cochlear microphonics, 672
cognitive load, 264
cognitive performance, 169
COM-B model, 417
communication, 810
communication partners, 810, 871
compression speeds, 590
confidence, 66
content validity, 227
- contralateral routing of signal, 235, 579
conversation analysis, 810
cortical auditory evoked potential, 564
counseling, 66, 406, 677
CROS, 235
culture, 78
- decision consistency, 363
depression, 802
diabetes, 459
diagnostic audiometry, 217
dichotic listening, 264, 451, 579
dichotic listening tests, 282, 363, 579
digital noise reduction, 103, 131
directional microphone, 731
distortion product otoacoustic
 emissions, 178
distortion product otoacoustic
 emissions screening, 178, 250
divided attention, 264
dizziness, 764
duration pattern test, 6
- earplugs, 78
education, 227, 273
electrically evoked compound action
 potential, 918
electrocochleography, 41
electrode, 41
electrode montage, 357
electronystagmography, 883
electrophysiology, 451
epidemiology, 282
Etymotic, 208
eustachian tube dysfunction, 781
exercises, 720
extended high frequencies, 217
extended input dynamic range, 634
eye movements, 883
- face shadow effect, 235
face validity, 227
fast-acting compression, 590
Filipino, 78
fine structure, 459
fit-to-targets, 346
frequency lowering, 552
- Ghana, 178
goal planning, 327
Gulf War Illness, 764
- habituation, 896
head shadow effect, 235
health care, 273
health information quality, 31
hearing, 250
health information readability, 31
hearing aid management, 250, 634
- hearing aid, 103, 131, 516
hearing aid satisfaction, 103, 131, 302, 634
hearing aids, 16, 93, 103, 131, 227, 250, 417, 472, 502, 516, 552, 634, 703, 856
hearing aids and assistive listening
 devices, 93, 103, 131, 198, 227, 250, 406, 417, 552, 579, 634, 659, 703,
 hearing health care, 208, 250
hearing health-care uptake, 208, 250
hearing healthcare, 250
hearing loss, 131, 250, 273, 417, 472, 482, 703, 845, 856
hearing preservation, 250, 918
hearing protection devices, 78, 250
hearing science, 659
hearing screening, 145, 178, 250
HHC, 871
HI, 871
high-frequency hearing, 169, 250
HINT, 315
Home Hearing Test, 208
human immunodeficiency virus, 482
hyperacusis, 712, 772, 802
- infant hearing screening, 145, 178, 250
initial-fit, 346
insomnia, 802
instantaneous compression, 16
instrumentalists, 856
interaction analysis, 810
internet health information, 31
ipod, 619
- kiosk, 250
Korle-bu Teaching Hospital, 178
- large vestibular aqueduct
 syndrome, 677, 792
latency, 357
listening, 580
listening levels, 153
loud music, 78
- Mandarin monosyllable recognition
 test, 187, 590
manual therapy, 720
manufacturer fitting, 346
masking release, 16
maximum amplitude, 918
medial olivocochlear reflex, 792
memory demands, 264
menopause, 493
mHealth, 217
middle latency responses, 396
mild hearing loss, 93, 131
mixed methods, 516

mobile health, 482
 MOCR, 792
 monaural, 579
 music perception, 856
 musician, 78
 musicians, 856

 n-back, 169
 N1-P2, 451
 N10 amplitude, 357
 negative effects, 472
 newborn hearing screening, 178, 250, 145
 noise, 131, 459
 noise-induced hearing loss, 217, 250, 273, 417, 703
 nonlinear frequency compression, 103, 552
 normal hearing, 169, 250
 normal hearing for pure tones, 370
 nystagmus, 883

 older adults, 208, 552, 753
 otoacoustic emission, 459
 otoacoustic emissions screening, 178, 250
 otolith, 357
 ototoxicity, 217
 outcomes, 516
 oVEMP, 293

 parental mental health, 772
 parental separation, 772
 parents, 677
 patient perspective, 856
 patient-centered care, 810
 pediatric, 703, 810
 pediatric audiology, 66, 178, 198, 250
 performance-intensity functions, 315
 personal audio systems, 619
 phase-locking, 357
 photo voice, 406
 physicians, 677
 pitch pattern test, 6
 positional nystagmus, 883
 posttraumatic stress disorder, 764
 presbycusis, 208
 prescribed gain, 346
 probe tube placement, 227
 psychological assessment, 712, 792
 psychosocial concerns, 810
 public health, 208
 pure-tone hearing thresholds, 712
 pure-tone thresholds, 54, 619, 918

 qualitative, 856
 questionnaire, 327, 896

 R-SPACE™, 235
 rate processing, 533
 reading difficulties, 533
 real-ear, 227
 real-ear measures, 346
 recreational noise-induced hearing loss, 131, 619, 703
 reliability, 302
 reliability and validity, 694
 remote microphone technology, 431
 remote wireless microphone system, 607
 residual hearing, 250, 918
 response amplitude, 357
 response filter set, 753
 risk factors, 153

 saccades, 744
 SCDS, 293
 scoring methods, 694
 screening, 250
 selective attention, 264
 self-report, 131, 145
 self-reported hearing, 564
 self-test, 208
 sensorineural hearing loss, 131, 370, 417, 677, 703
 sensory gating, 896
 shared decision-making, 810
 side effects, 472
 SII, 703
 simulation, 227
 single-sided deafness, 607
 slow-acting compression, 590
 smartphone, 217
 smartphone-connected listening devices, 417, 579
 somatosensory tinnitus, 720, 772
 sound localization, 564
 sound quality, 552
 spatial advantage, 54
 spatial processing, 451
 spectro-temporal processing, 533
 speech in noise, 115
 speech in noise test, 131, 315
 speech perception, 131, 370
 speech recognition abilities, 564, 590
 speech recognition in noise ability, 54, 131, 459, 590, 607, 845
 SSQ, 564
 static, 883
 stimulus polarity, 357
 stimulus rate, 41
 student, 273
 sub-Saharan Africa, 178
 summing potential, 41
 superior canal dehiscence, 293
 synaptic transmission time, 904
 synchronous telehealth model, 178, 208

 task-evoked pupil response, 264
 tasking, 792
 technology assessment, 363, 792
 tele-audiology, 178, 250, 810
 teleaudiology, 208, 250, 810
 telecoil, 502
 telehealth, 178, 208
 telemedicine, 178
 telephone, 502
 telephony, 187
 temporal sampling, 533
 temporary threshold shift, 619
 TEOAE, 792
 test-retest reliability, 744
 test-retest variability, 41
 Theoretical Domains Framework, 417
 tinnitus, 802
 tinnitus, 31, 169, 327, 772, 802, 896
 tinnitus functional index, 327, 772, 802
 tinnitus handicap inventory, 327, 772, 802
 tinnitus handicap questionnaire, 327, 772, 802
 tinnitus loudness, 712, 772, 802
 tolerable noise level, 131, 302
 tracking of noise tolerance, 131, 302
 training, 227
 transient evoked otoacoustic emissions, 792

 uncomfortable loudness levels, 712
 unilateral cochlear implant, 579, 607, 731
 unilateral hearing loss, 93, 131, 235, 250, 273, 417, 564, 703
 utricle, 293, 357, 753

 variable speed compression, 590
 vascular health-related factors, 282
 verification, 703
 vertigo, 764
 vestibular, 293, 792, 884
 vestibular evoked myogenic potential, 357, 792
 vestibulo-ocular reflex, 792
 veterans, 764
 vHIT, 744
 videonystagmography, 883
 VNG, 792
 VOR, 792
 VOR gain, 744

 wideband absorbance, 781
 word recognition, 370, 590
 working memory, 169

 young adults, 153