
Y. SEGAWA\*, T. WATANABE, K. YAMANOUE, M. KUWAYAMA, K. WATANABE, J. PIRILLO, Y. HIJIKATA, K. ITAMI\* (INSTITUTE FOR MOLECULAR SCIENCE AND SOKENDAI (THE GRADUATE UNIVERSITY FOR ADVANCED STUDIES), OKAZAKI, AND NAGOYA UNIVERSITY, JAPAN)

Synthesis of a Möbius Carbon Nanobelt

Nat. Synth. 2022, 1, 535-541, DOI: 10.1038/s44160-022-00075-8.

## A Möbius Carbon Nanobelt Accomplished



Significance: Molecular structures with novel topological features are appealing targets to both synthetic and materials chemistry researchers. For the first time, a fully conjugated, all-sp<sup>2</sup>-carbon nanobelt with the topology of a Möbius band is accomplished. The achievement relies on a smart design of incorporating and stitching an odd number of all Z-configured stilbene moieties into continually fused phenanthrene groups. The topological chirality manifested by the Möbius nanobelt is proven by circular dichroism spectroscopy after resolving the enantiomers with chiral HPLC.

**Comment:** Using a stepwise chain-extension strategy, a large macrocycle comprising five repeated units of hexabromo-substituted bis(phenanthrenylvinyl)benzene is synthesized. By virtue of the Z-selective Wittig protocol facilitated stereochemistry control, the Möbius topology is realized in the ring-closure step. Upon subsequent nickelcatalyzed intramolecular aryl coupling to avail ring fusion, (25,25)MCNB (Möbius carbon nanobelt) is successfully obtained.

Category

Synthesis of Materials and **Unnatural Products** 

## Key words

Möbius ring carbon nanobelts Z-selective Wittig reaction molecular topology

