

## ERRATA

# Errata: Unleashing the Power of Test Box and Real-Ear Probe Microphone Measurement

**Catherine Palmer, Ph.D.,<sup>1</sup> Lori Zitelli, Au.D.,<sup>1</sup> and Lindsey Jorgensen, Au.D., Ph.D.<sup>2</sup>**

The publisher would like to revise the title of the second issue for the journal *Seminars in Hearing*, Volume 45, Number 2, 2024 (DOI: 10.1055/s-0044-1786506). The revised title is indicated above and within the footers of each article for the issue.

---

<sup>1</sup>Communication Science and Disorders, University of Pittsburgh Medical School, Pittsburgh, Pennsylvania; <sup>2</sup>Department of Communication Sciences and Disorders, University of South Dakota, Vermillion, South Dakota.

Address for correspondence: Catherine V. Palmer, Ph.D., Communication Science and Disorders, Eye and Ear Institute, University of Pittsburgh Medical School, 4th floor, 203 Lothrop Street, Pittsburgh, PA 15213 (e-mail: palmercv@upmc.edu).

Unleashing the Power of Test Box and Real-Ear Probe Microphone Measurement; Guest Editor, Lori Zitelli, Au.D.

Semin Hear 2024;45:e1. © 2024. Thieme. All rights reserved. Thieme Medical Publishers, Inc., 333 Seventh Avenue, 18th Floor, New York, NY 10001, USA  
DOI: <https://doi.org/10.1055/s-0044-1788318>.  
ISSN 0734-0451.