

Comment on "Stroke awareness in a Brazilian Northeastern capital city and the burden of the COVID-19 pandemic"

Diogo Gonçalves dos Santos Martins¹⁰ Thiago Gonçalves dos Santos Martins²⁰

¹ Universidade Federal de São Paulo, Escola Paulista de Medicina, Departamento de Oftalmologia, São Paulo SP, Brazil.

² Universidade Federal do Rio de Janeiro, Faculdade de Medicina, Departamento de Oftalmologia, Macaé RJ, Brazil. Address for correspondence Diogo Gonçalves dos Santos Martins (email: thiagogsmartins@yahoo.com.br)

Arq. Neuro-Psiquiatr. 2025;83(2):s00451802310.

Dear Editor,

In response to the article titled 'Stroke awareness in a Brazilian Northeastern capital city and the burden of the COVID-19 pandemic,'¹ published in your esteemed journal, which I consider a well-crafted and thoughtfully written paper, I would like to raise a few important points. The article examined general knowledge about stroke in a capital city of Northeastern Brazil and suggested new public policies. It emphasized the need for campaigns focused on educating the public about stroke risk factors and how to access emergency medical services in the state of Alagoas.

The use of artificial intelligence (AI) in the analysis of retinal imaging holds great potential as a public health screening policy for cerebrovascular accidents (CVA). Several studies have demonstrated that vascular changes detected in the retina can serve as risk biomarkers for cardiovascular diseases and strokes, with the retina acting as a 'window' into the vascular system.

A study² that analyzed 70 thousand retinal images found a correlation from 0.82 to 0.95 between vascular changes in the retina and other well-known cardiovascular risk factors, such as high blood pressure, elevated body mass index, and increased cholesterol levels. Another study³ analyzed 65,144 participants and developed an algorithm capable of assessing a retinal vascular biomarker that predicts stroke, outperforming the Framingham risk scores for myocardial infarction and stroke. These findings suggest that retinal vascular alterations, such as tortuosity, can serve as non-invasive biomarkers to identify individuals at risk for cardiovascular diseases and stroke.

The implementation of AI can make retinal image analysis more efficient and accessible. In addition to enabling largescale evaluations, these technologies have shown great promise in supporting the early diagnosis of cardiovascular diseases, particularly in regions with limited medical resources. By identifying vascular abnormalities with greater precision and speed than traditional methods, AI can facilitate the early detection of stroke risk, allowing for preventive interventions before clinical events occur.

As a public policy, population screening using AI for retinal image analysis can significantly reduce long-term treatment costs by lowering the incidence of strokes and their complications. Combined with other well-established cardiovascular risk factors, AI complements the diagnostic approach, providing a powerful tool to predict and prevent diseases through non-invasive analysis.

The use of AI in ophthalmology has shown tremendous potential in advancing our understanding of the pathophysiology of cardiovascular diseases by identifying new biomarkers. Moreover, this technology offers valuable support in diagnosing and monitoring these conditions, particularly in areas with limited healthcare resources. Due to its noninvasive nature, AI-based technologies are becoming increasingly important when integrated with more established exams for cardiovascular risk factors.

Therefore, incorporating AI into retinal imaging as a screening method has the potential to transform public health, offering an innovative and accessible solution for the prevention of strokes.

Authors' Contributions

DGSM, TGSM: conceptualization or design of the work, data acquisition, analysis, or interpretation, writing or reviewing the manuscript. All authors approved the final version of the manuscript and agree to be responsible for all aspects of the work.

received October 2, 2024 accepted November 3, 2024 DOI https://doi.org/ 10.1055/s-0045-1802310. ISSN 0004-282X.

Editor-in-Chief: Ayrton Roberto Massaro.

© 2025. The Author(s).

This is an open access article published by Thieme under the terms of the Creative Commons Attribution 4.0 International License, permitting copying and reproduction so long as the original work is given appropriate credit (https://creativecommons.org/licenses/by/4.0/).

Thieme Revinter Publicações Ltda., Rua do Matoso 170, Rio de Janeiro, RJ, CEP 20270-135, Brazil

Conflict of Interest

There is no conflict of interest to declare.

References

- 1 Rocha LJA, Melo MTB, Piva RG, et al. Stroke awareness in a Brazilian Northeastern capital city and the burden of the COVID-19 pandemic. Arq Neuropsiquiatr 2024;82(08):1–6. Doi: 10.1055/s-0044-1788583
- 2 Cheung CY, Xu D, Cheng CY, et al. A deep-learning system for the assessment of cardiovascular disease risk via the measurement of retinal-vessel calibre. Nat Biomed Eng 2021;5(06): 498–508
- 3 Rudnicka AR, Welikala R, Barman S, et al. Artificial intelligenceenabled retinal vasculometry for prediction of circulatory mortality, myocardial infarction and stroke. Br J Ophthalmol 2022;106(12):1722–1729