

In der Ausgabe 2/2001 der Viszeralchirurgie kam es im Literaturverzeichnis des Beitrags zur Aktuellen Chirurgie von G. Meyer et al. zu einer fehlerhaften Zuordnung. Bitte beachten Sie: Im Text wurde nach Literaturstelle [156] mit [166] weitergezählt, deshalb hier die neue Zuordnung ab Zitat [166].

Weiterhin bezieht sich Tab. 3 auf Zitat [283] und Abb. 4 auf Zitat [144].

Wir bitten dieses Versehen zu entschuldigen.

- ¹⁶⁵ Nöthiger F. Vergleichende Untersuchungen zur Wertigkeit des Nahtmaterials bei der Dickdarmanastomose. In: Thiede A, Hamelmann H (Hrsg): *Moderne Nahtmaterialien und Nahttechniken in der Chirurgie*. Springer. Berlin Heidelberg New York 1982: S. 122–127
- ¹⁶⁶ Riddick DH, De Grazia CT, Maenza RM. Comparison of polyglactic and polyglycolic acid sutures in reproductive tissue. *Fertility and Sterility* 1977; 28: 1220–1225
- ¹⁶⁷ Lünstedt B, Thiede A. Polydioxanon (PDS) – ein neues monofiles, synthetisches, absorbierbares Nahtmaterial. Zugfestigkeitsuntersuchungen in einem klinisch kontrollierten Versuch am Dickdarm des Menschen und physikalische Parameter im in-vitro-Test. *Chirurg* 1983; 54: 103–107
- ¹⁶⁸ Stephens FO, Hunt TK, Dunphy JE. Study of traditional methods of care on the tensile strength of skin wounds in rats. *Am J Surg* 1971; 122: 78–80
- ¹⁶⁹ Farella S, Cola B, Franchini A. Endoskopische Beurteilung der verschiedenen Heilungsstadien kolorektaler Anastomosen. *Colo-proctology* 1984; 2: 86–90
- ¹⁷⁰ Entner M, Heimberger H. One row anastomosis in colonic operations with antibiotic prophylaxis. *Surg Gynecol Obstet* 1985; 161: 136–138
- ¹⁷¹ Thiede A. Biologische Wertigkeit der Nahtmaterialien. In: Thiede A, Hamelmann H (Hrsg): *Moderne Nahtmaterialien und Nahttechniken in der Chirurgie*. Springer. Berlin Heidelberg New York 1982: S.238–252
- ¹⁷² Letwin ER. Evaluation of polyglycolic acid sutures in colonic anastomoses. *Can J Surg* 1975; 18: 30–33
- ¹⁷³ Kapadia CR, Mann JB, McGeehan D, Jose Biglin JE, Waxman BP, Dudley HAF. Behaviour of synthetic absorbable sutures with and without synergistic enteric infection. *Eur Surg Res* 1983; 15: 67–72
- ¹⁷⁴ Cowley LL. Wire sutures: braided or monofilament? *Am J Surg* 1967; 113: 472–474
- ¹⁷⁵ Katz S, Izhar M, Mirelman D. Bacterial adherence to surgical sutures. A possible factor in the suture induced infection. *Ann Surg* 1981; 194: 35–41
- ¹⁷⁶ Mc Geehan D, Hunt D, Chaudhuri A, Rutter P. An experimental study of the relationship between synergistic wound sepsis and suture materials. *Br J Surg* 1980; 67: 636–638
- ¹⁷⁷ Blomstedt R, Österberg B. Fluid absorption and capillarity of suture materials. *Acta Chir Scand* 1977; 143: 67–70
- ¹⁷⁸ Dudley HAF, Kapadia CR. Sutures and infection: studies of conventional materials and new synthetic absorbables. In: Thiede A, Hamelmann H (Hrsg): *Moderne Nahtmaterialien und Nahttechniken in der Chirurgie*. Springer. Berlin Heidelberg New York 1982: S. 34–38
- ¹⁷⁹ Eichfuss HP. Der Bauchchirurg und sein Nahtmaterial. *Med Welt* 1976; 27: 562–565
- ¹⁸⁰ Schütze U, Henningsen B, Daum R, Seufert R. Polyglycolic acid sutures for intestinal anastomoses in paediatric surgery. Experimental and first clinical findings. *Z Kinderchir* 1978; 25: 76–80
- ¹⁸¹ Blomstedt B, Österberg B, Bergstrand A. Suture material and bacterial transport. An experimental study. *Acta Chir Scand* 1977; 143: 71–73
- ¹⁸² Thiede A, Jostarndt L, Lünstedt B, Sonntag HG. Kontrollierte experimentelle histologische und mikrobiologische Untersuchungen zur Hemmwirkung von Polyglycolsäurefäden bei Infektionen. *Chirurg* 1980; 51: 35–38
- ¹⁸³ Thiede A, Jostarndt L, Lünstedt B, Sonntag HG. Zum Verhalten kontaminierter absorbierbarer Nahtmaterialien in vivo. In: Thiede A, Hamelmann H (Hrsg): *Moderne Nahtmaterialien und Nahttechniken in der Chirurgie*. Springer. Berlin Heidelberg New York 1982: S 55–63
- ¹⁸⁴ Arbogast R, Gay B, Höcht B. Der Einfluß des Nahtmaterials auf die mechanische Belastbarkeit von Darmanastomosen. *Chirurg* 1978; 49: 640–644
- ¹⁸⁵ Kratzer GL. Intestinal anastomosis and abdominal wound closure using monofilament prolene polypropylene suture: report of fifty cases. *Dis Colon Rectum*. 1978; 21: 342–345
- ¹⁸⁶ Munday C, McGinn FP. A comparison of polyglycolic acid and catgut sutures in rat colonic anastomoses. *Br J Surg* 1976; 63: 870–872
- ¹⁸⁷ Hawley PR. Causes and prevention of colonic anastomotic breakdown. *Dis Colon Rectum* 1973; 16: 272–277
- ¹⁸⁸ Hesp FLEM, Hendriks T, Lubbers EJC, de Boer HHM. Wound healing in the intestinal wall. A comparison between experimental ileal and colonic anastomoses. *Dis Colon Rectum* 1984; 27: 99–104
- ¹⁸⁹ Irvin TT, Hunt TK. The effect of trauma on colonic healing. *Br J Surg* 1974; 61: 430–436
- ¹⁹⁰ Le Vein HH, Wapnick S, Falk G, Olivas O, Bhat D, Gaudre M, Patel M. Effects of prophylactic antibiotics on colonic healing. *Am J Surg* 1976; 131: 47–53
- ¹⁹¹ Schardey HM, Kamps T, Rau HG, Gattermann S, Baretton G, Schildberg FW. Bacteria: A major factor of anastomotic insufficiency following gastrectomy. *Antimicrob Agents Chemother* 1994; 38: 2564–2567
- ¹⁹² Cohn I, jr. Intestinal antisepsis. *Surg Gynecol Obstet* 1970; 130: 1006–1014
- ¹⁹³ Högström H, Jiborn H, Zederfeldt B, Haglund U. Influence of intraperitoneal Escherichia coli with septicemia on the healing of colonic anastomoses and skin wounds. *Eur Surg Res* 1985; 17: 128–132
- ¹⁹⁴ Lee JT, Ahrenholz DH, Nelson RD, Simmons RL. Mechanisms of the adjuvant effect of hemoglobin in experimental peritonitis. V. The significance of the coordinated iron component. *Surgery* 1979; 86: 41–48
- ¹⁹⁵ Mellish RWP, Ty TC, Keller DJ. A study of intestinal healing. *J Pediatr Surg* 1968; 3: 286–291
- ¹⁹⁶ Canalis F, Ravitch MM. Study of healing of inverting and everting intestinal anastomoses. *Surg Gynecol Obstet* 1968; 126: 109–114
- ¹⁹⁷ Rusca JA, Bornside GH, Cohn I. Everting versus inverting gastrointestinal anastomoses: bacterial leakage and anastomotic disruption. *Ann Surg* 1969; 169: 727–735
- ¹⁹⁸ Abramowitz HB, Butcher HR. Everting and inverting intestinal anastomosis: an experimental study of comparative safety. *Am J Surg* 1971; 121: 52–53
- ¹⁹⁹ Hawley PR, Faulk WP, Hunt TK, Dunphy JE. Collagenase activity in the gastrointestinal tract. *Br J Surg* 1970; 57: 896–900
- ²⁰⁰ Hesp FLEM, Hendriks T, Lubbers EJC, De Boer HHM. Wound healing in the intestinal wall. Effects of infection on experimental ileal and colonic anastomoses. *Dis Colon Rectum* 1984; 27: 462–467
- ²⁰¹ Irvin TT, Hunt TK. Pathogenesis and prevention of disruption of colonic anastomoses in traumatized rats. *Br J Surg* 1974; 61: 437–439

- 202 Irvin TT. Collagen metabolism in infected colonic anastomoses. *Surg Gynecol Obstet* 1976; 143: 220–224
- 203 Morgenstern L, Yamakawa T, Ben-Shoshan M, Lippman H. Anastomotic leakage after low colonic anastomosis. Clinical and experimental aspects. *Am J Surg* 1972; 123: 104–109
- 204 Yamakawa T, Patin CS, Sobel S, Morgenstern L. Healing of colonic anastomoses following resection for experimental „diverticulitis“. *Arch Surg* 1971; 103: 17–20
- 205 Högström H, Haglund U. Neutropenia prevents decrease in strength of rat intestinal anastomosis: Partial effect of oxygen free radical scavengers and allopurinol. *Surgery* 1986; 99: 716–720
- 206 Ohlsson K. Polymorphonuclear leukocyte collagenase. In: Woolley D, Evanson J (Eds.): *Collagenase in normal and pathological connective tissue*. Wiley, Chichester 1980; pp. 209–222
- 207 Shandall AA, Williams GT, Hallett MB, Young HL. Colonic healing: a role for polymorphonuclear leucocytes and oxygen radical production. *Br J Surg* 1986; 73: 225–228
- 208 Starkey PH. Elastase and cathepsin G. In: Barrett AJ (Ed.): *The serine proteinases of human neutrophil leucocytes and spleen*. Elsevier, Amsterdam 1977; pp. 57–89
- 209 Cronin K, Jackson DS, Dunphy JE. Changing bursting strength and collagen content of the healing colon. *Surg Gynecol Obstet* 1968; 126: 747–753
- 210 Jönsson K, Jiborn H, Zederfeldt B. Breaking strength of small intestinal anastomoses. *Am J Surg* 1983; 145: 800–803
- 211 Foster ME, Johnson CD, Billings PJ, Davies PW, Leaper DJ. Intraoperative antegrade lavage and anastomotic healing in acute colonic obstruction. *Dis Colon Rectum* 1986; 29: 255–259
- 212 Nagelschmidt M, Becker D, Stuttmann R, Engelhardt GH. Fibronectin-Mangel verzögert die Wundheilung bei Ratten. *Langenbecks Arch (Chir Forum)*. 1986; 33–37
- 213 Nagelschmidt M, Becker D, Bönninghoff N, Engelhardt GH. The effect of fibronectin therapy and fibronectin deficiency on healing of rat burns and excision wounds. *Res Exp Med* 1987; 187: 217–223
- 214 Metzger Z, Hoffeld JT, Oppenheim JJ. Suppression of fibroblast proliferation by activated macrophages: Involvement of H₂O₂ and a non-prostaglandin E product of the cyclooxygenase pathway. *Cell Immunol* 1986; 100: 501–514
- 215 Phan SM, McGarry BM, Loeffler KM, Kunkel SL. Regulation of macrophage-derived fibroblast growth factor release by arachidonate metabolites. *J Leukoc Biol* 1987; 42: 106–113
- 216 Sugarman BJ, Aggarwal BB, Hass PE, Figari IS, Palladino jr MA, Shepard HM. Recombinant human tumor necrosis factor- α : Effects on proliferation of normal and transformed cells in vitro. *Science* 1985; 230: 943–945
- 217 Sugarman BJ, Lewis GD, Eessalu TE, Aggarwal BB, Shepard HM. Effects of growth factors on the antiproliferative activity of tumor necrosis factors. *Cancer Res* 1987; 47: 780–786
- 218 Ahrendt GM, Gardner K, Barbul A. Loss of colonic structural collagen impairs healing during intra-abdominal sepsis. *Arch Surg* 1994; 129: 1179–1183
- 219 Högström H, Bondeson L, Haglund U. Neutrophil-induced decrease in wound margin strength after intestinal anastomosis: influence on collagen and mechanisms of granulocyte action. *Eur Surg Res* 1988; 20: 260–266
- 220 Jonsson Th, Högström H. Neutrophil-dependent decrease in early wound margin strength. *Arch Surg* 1991; 126: 1423–1426
- 221 Nahai F, Lamb JM, Havican RG, Stone HH. Factors involved in disruption of intestinal anastomoses. *Am Surg* 1977; 43: 45–51
- 222 Faß J. Die Wundheilungsstörung in der Chirurgie des colo-rectalen Carcinoms. Eine multifaktorielle Computeranalyse. *Langenbecks Arch Chir* 1985; 367: 63–73
- 223 Giercksky KE, Danielsen S, Garberg O, Gruener OP, Holter O, Johnson JA, Nygaard K, Ofstad E, Stadaas J, Viddal KO. A single dose tinidazole and doxycycline prophylaxis in elective surgery of colon and rectum. A prospective controlled clinical multicenter study. *Ann Surg* 1982; 195: 227–231
- 224 Görtz G, Häring R, Raetzel G, Rodloff A. Cephalosporine zur Infektionsprophylaxe im Rahmen der Kolonchirurgie. *FAC Fortschritte d. antimikrobiellen und antineoplastischen Chemotherapie* 1982; 1: 237–245
- 225 Hepp J, Käufer C. Infektionsverhütung in der Dickdarm-Chirurgie durch Cefoxitin und orthograde Darmspülung. *Krankenhausharzt* 1982; 55: 885–891
- 226 Hildebrandt J, Dietrich H. Moderne mechanisch-antibiotische Vorbereitung bei kolorektalen Operationen. Ergebnisse einer prospektiven Studie. *Zentralbl Chir* 1985; 110: 93–97
- 227 Jostarndt L, Thiede A, Sonntag HG, Hamelmann H. Die systemische Antibiotikumprophylaxe in der elektiven Colonchirurgie. Ergebnisse einer kontrollierten Studie. *Chirurg* 1981; 52: 398–402
- 228 Kusche J, Stahlknecht CD. Antibiotikaprophylaxe bei colorektalen Operationen. Gibt es ein Mittel der Wahl? *Chirurg* 1981; 52: 577–585
- 229 Lohr J, Wagner PK, Rothmund M. Perioperative Antibiotikaprophylaxe (Einmal- oder Mehrfachgabe) bei elektiven colorektalen Eingriffen. *Chirurg* 1984; 55: 512–514
- 230 Cohen SR, Cornell CN, Collins MH, Sell JE, Blanc WA, Altman RP. Healing of ischemic colonic anastomoses in the rat: role of antibiotic preparation. *Surgery* 1985; 97: 443–446
- 231 Schardey HM, Kamps T, Rau HG, Baretton G, Gatermann S, Exner H, Schildberg FW. Can oesophago-intestinal anastomotic leakage develop in the complete absence of bacteria? A comparison of normal and germ-free rats. *Int J Surg Science* 1997; 4: 9–13
- 232 Schardey HM, Joosten U, Finke U, Staubach KH, Schauer R, Heiss A, Kooistra A, Rau HG, Nibler R, Lüdeling S, Unertl K, Ruckdeschel G, Exner H, Schildberg FW. The prevention of anastomotic leakage after total gastrectomy with local decontamination. *Ann Surg* 1997; 225: 172–180
- 233 Schardey HM, Krämling HJ, Cramer C, Kusenack U, Hadersbeck J, Schildberg FW. Risikofaktoren und pathogene Mikroorganismen bei Patienten mit insuffizienter Ösophago-Jejunostomie nach Gastrektomie. *Zentralblatt Chir* 1998; 123: 46–52
- 234 Curley SA, Allison DC, Smith DE, Doberneck RC. Analysis of techniques and results in 347 consecutive colon anastomoses. *Am J Surg* 1988; 155: 597–601
- 235 Rolandelli RH, Koruda MJ, Settle RG, Rombeau JL. The effect of enteral feedings supplemented with pectin on the healing of colonic anastomoses in the rat. *Surgery* 1986; 99: 703–707
- 236 Rolandelli RH, Koruda MJ, Settle RG, Rombeau JL. Effects of intraluminal infusion of short-chain fatty acids on the healing of colonic anastomosis in the rat. *Surgery* 1986; 100: 198–204
- 237 Blomquist P, Jiborn H, Zederfeldt B. Effect of diverting colostomy on collagen metabolism in the colonic wall. Studies in the rat. *Am J Surg* 1985; 149: 330–333
- 238 Blomquist P, Jiborn H, Zederfeldt B. Effect of diverting colostomy on breaking strength of anastomoses after resection of the left side of the colon. Studies in the rat. *Am J Surg* 1985; 149: 712–715
- 239 Udén P, Blomquist P, Jiborn H, Zederfeldt B. Influence of proximal colostomy on the healing of a left colon anastomosis: an experimental study in the rat. *Br J Surg* 1988; 75: 325–329
- 240 Wara P, Sorensen K, Berg V. Proximal fecal diversion: review of ten years' experience. *Dis Colon Rectum* 1981; 24: 114–119

- 241 Blomquist P, Ahonen J, Jiborn H, Zederfeldt B. The effect of relative bowel rest on healing of colonic anastomoses. Collagen synthesis and content in the colonic wall after left colon resection and anastomosis in the rat. *Acta Chir Scand* 1984; 150: 677–681
- 242 Blomquist P, Jiborn H, Zederfeldt B. The effect of relative bowel rest on healing of colonic anastomoses. Breaking strength and collagen in the colonic wall following left colon resection and anastomosis in the rat. *Acta Chir Scand* 1984; 150: 671–675
- 243 Högström H, Haglund U, Zederfeldt B. Beneficial effect of proteinase inhibitors on early breaking strength of intestinal anastomoses. *Acta Chir Scand* 1985; 151: 529–532
- 244 Young HL, Wheeler MH. Results of a prospective randomized doubleblind trial of aprotinin in colonic surgery. *World J Surg* 1984; 8: 367–373
- 245 Hawley PR, Page Faulk W. A circulatory collagenase inhibitor. *Br J Surg* 1970; 57: 900–904
- 246 Högström H, Haglund U. Postoperative decrease in suture holding capacity in laparotomy wounds and anastomoses. *Acta Chir Scand* 1985; 151: 533–535
- 247 Jönsson K, Jiborn H, Zederfeldt B. Collagen metabolism in small intestinal anastomosis. *Am J Surg* 1987; 154: 288–291
- 248 Bary S von, Kortmann H, Köpcke W. Berstungsdrücke des enterotomierten Rattencolons unter Proteinaseinhibition. *Res Exp Med* 1976; 168: 123–128
- 249 Delaney P, Lalor D. Enzyme inhibition in colorectal surgery. *Br J Surg* 1976; 63: 23–24
- 250 Young HL, Wheeler MH. Collagenase inhibition in the healing colon. *J R Soc Med* 1983; 76: 32–36
- 251 Virca GD, Metz G, Schnebli HP. Similarities between human and rat leukocyte elastase and cathepsin G. *Eur J Biochem* 1984; 144: 1–9
- 252 Fritz H, Wunderer G. Biochemistry and applications of aprotinin, the kallikrein inhibitor from bovine organs. *Arzneim. Forschung / Drug Res* 1983; 33: 479–494
- 253 Högström H, Haglund U, Zederfeldt B. Beneficial effect on intestinal anastomoses of S-2441, a synthetic kallikrein-kinin antagonist. Experimental studies in the rat. *Am J Surg* 1985; 150: 312–314
- 254 Ryan GB, Majno G. Acute Inflammation. *Am J Pathol* 1977; 86: 183–276
- 255 Högström H, Haglund U. Early decrease in suture line breaking strength. The effect of proposed collagenase inhibition. *Res Exp Med* 1985; 185: 451–455
- 256 Stewart R. Influence of malignant cells on the healing of colonic anastomoses: experimental observations. *Proc Roy Soc Med* 1973; 66: 1089–1091
- 257 Hawley PR. Cancer of the colon and rectum: Collagenase activity in patients who have rectal carcinoma. *Dis Colon Rectum* 1976; 19: 9–10
- 258 Albertson S, Hummel III RP, Breeden M, Greenhalgh DG. PDGF and FGF reverse the healing impairment in protein-malnourished diabetic mice. *Surgery* 1993; 114: 368–373
- 259 Beickert R, von Imhoff C. Nahtinsuffizienz am Dickdarm: Ist der Operateur ein Risikofaktor? *Chirurg* 1984; 55: 645–649
- 260 Brennan SS, Pickford IR, Evans M, Pollock AV. Staples or sutures for colonic anastomoses. A controlled clinical trial. *Br J Surg* 1982; 69: 722–724
- 261 Gilmour DG, Aitkenhead AR, Hothersall AP, Mc A. Ledingham I. The effect of hypovolaemia on colonic blood flow in the dog. *Br J Surg* 1980; 67: 82–84
- 262 Irvin TT, Goligher JC. Aetiology of disruption of intestinal anastomoses. *Br J Surg* 1973; 60: 461–464
- 263 Kühlmayer R, Doberauer B. Die letale Nahtdehiszenz als Risikofaktor der Kolon-Rektumchirurgie. *Wien Med Wschr* 1981; 131: 395–399
- 264 Stelzner F. Vorbeugung der intraperitonealen Nahtinsuffizienz (Dünn- und Dickdarm). *Langenbecks Arch Chir* 1982; 358: 259–263
- 265 Wayand W, Rieger R, Umlauf M. Ein- oder zweireihig? Eine kontrollierte prospektive Studie zum Vergleich zweier Nahttechniken bei gastrointestinalen Anastomosen. *Chirurg* 1984; 55: 650–652
- 266 Athanasiadis S, Girona J, Gandji D, Lutfi T. Die Bedeutung der Nahttechnik in der Darmchirurgie. In: Thiede A, Hamelmann H (Hrsg): *Moderne Nahtmaterialien und Nahttechniken in der Chirurgie*. Springer. Berlin Heidelberg New York 1982: S. 199–207
- 267 Beickert R, von Imhoff C. Nahtinsuffizienz am Dickdarm: Ist der Operateur ein Risikofaktor? *Chirurg* 1984; 55: 645–649
- 268 Eichfuss HP, Knipper A. Wundheilung am Darm bei akuter und chronischer Peritonitis. In: Häring R (Hrsg): *Peritonitis*. TM. Bad Oeynhausen 1979: S 154–157
- 269 Merkle P. Entero-enterale Anastomosen. *Chirurg* 1984; 55: 632–637
- 270 Meyer G, Lange V, Oevermann E, Schildberg FW. Notfallchirurgie beim kolorektalen Karzinom: Risikofaktoren, onkologischer Stellenwert und therapeutische Möglichkeiten. In: Hollender LF, De Manzini N (Eds): *Chirurgie d'urgence*. Tome I. 1990: pp 413–415
- 271 Slavin J, Nash JR, Kingsnorth AN. Effect of transforming growth factor beta and basic fibroblast growth factor on steroid-impaired healing intestinal wounds. *Br J Surg* 1992; 79: 69–72
- 272 Wilker D, Sklarek J, Waldner H, Izbicki JR, Siebeck M. Untersuchung zur Frühphase der Anastomosenheilung unter besonderer Berücksichtigung von Peritonitis und Ischämie. *Langenbecks Arch Chir* 1988; 373: 217–221
- 273 Christensen H, Oxlund H, Laurberg S. Postoperative biosynthetic human growth hormone increases the strength and collagen deposition of experimental colonic anastomoses. *Int J Colorect Dis* 1991; 6: 133–138
- 274 Goodman L, Stein GH. Basal and induced amounts of interleukin-6 mRNA decline progressively with age in human fibroblasts. *J Biol Chem* 1994; 269: 19250–19255
- 275 Hamon GA, Hunt TK, Spencer EM. In vivo effects of systemic insulin-like growth factor-I alone and completed with insulin-like growth factor binding protein-3 on corticosteroid suppressed wounds. *Growth Regul* 1993; 3: 53–56
- 276 Kingsnorth AN, Vowles R, Nash JRG. Epidermal growth factor increases tensile strength in intestinal wounds in pigs. *Br J Surg* 1990; 77: 409–412
- 277 Watson RWG, Redmond HP, Mc Carthy J, Burke PE, Bouchier-Hayes D. Exposure of the peritoneal cavity to air regulates early inflammatory responses to surgery in a murine model. *Br J Surg* 1995; 82: 1060–1065
- 278 Hofstädter F. Pathologie der Wundheilung. *Chirurg* 1995; 66: 174–181
- 279 Zederfeldt B. Anastomotic Healing. In: Eigler FW, Gross E, Vogt E (Hrsg): *Die Anastomose am Gastrointestinaltrakt*. TM. Hameln 1990: S 13–16
- 280 Meßmer K, Wanner K, Reulen HJ. Durchblutungsverhalten abdominalen Organe nach Endotoxininjektion beim Hund. *Z Ges Exp Med* 1968; 146: 292–308
- 281 Leder LD. Wundheilung und Fremdkörperreaktion. In: Thiede A, Hamelmann H (Hrsg): *Moderne Nahtmaterialien und Nahttechniken in der Chirurgie*. Springer. Berlin Heidelberg New York 1982: S 226–228
- 282 Lindner J. Morphologie und Biochemie der Wundheilung. *Langenbecks Arch Chir (Kongressbericht 1982)* 1982; 358: 153–160
- 283 Schäfer K, Stanka H, Ernst R, Zumtobel V. Ausdehnung und Bedeutung von Mikrozirkulationsstörungen für die Pathogenese der Nahtinsuffizienz bei Colonanastomosen. In: Eigler FW, Gross E, Vogt E (Hrsg): *Die Anastomose am Gastrointestinaltrakt*. TM. Hameln 1990: S 39–47
- 284 Graham MF, Drucker DEM, Diegelmann RF, Elson CO. Collagen synthesis by human intestinal smooth muscle cells

- in culture. *Gastroenterology* 1987; 92: 400–405
- ²⁸⁵ Peterkofsky B. Ascorbate requirement for hydroxylation and secretion of procollagen: relationship to inhibition of collagen synthesis in scurvy. *Am J Clin Nutr* 1991; 54: 1135S–1140S
- ²⁸⁶ Bark S, Rettura G, Goldman D, Seifter E, Levenson S, Demetriou AA. Effect of supplemental vitamin A on the healing of colon anastomosis. *J Surg Res*. 1984; 36: 470–474
- ²⁸⁷ Winsey K, Simon RJ, Levenson SM, Seifter E, Demetriou AA. Effect of supplemental vitamin A on colon anastomotic healing in rats given preoperative irradiation. *Am J Surg* 1987; 153: 153–156
- ²⁸⁸ Daly JM, Vars HM, Dudrick SJ. Effects of protein depletion on strength of colonic anastomoses. *Surg Gynecol Obstet* 1972; 134: 15–21
- ²⁸⁹ Preshaw RM, Attisha RP, Hollingsworth WJ, Todd JD. Randomized sequential trial of parenteral nutrition in healing of colonic anastomoses in man. *Can J Surg* 1979; 22: 437–439
- ²⁹⁰ Rahmat A, Norman JN, Smith G. The effect of zinc deficiency on wound healing. *Br J Surg* 1974; 61: 271–273
- ²⁹¹ Jochum M, Witte J, Schiessler H, Selbmann HK, Ruckdeschl G, Fritz H. Clotting and other plasma factors in experimental endotoxemia: inhibition of degradation by exogenous proteinase inhibitors. *Eur Surg Res* 1981; 13: 152–168
- ²⁹² Müller-Berghaus G. Pathophysiology of generalized intravascular coagulation. *Semin Thromb Hemost* 1977; 3: 209–246
- ²⁹³ Greuer W, Hee E, Klein-Buchholz F, Marggraf G, Quadripur S, Stankovic P, Weber HG, Wilde G. Spontane periphere Proteolyse. 1. Mitteilung: Methodik und klinische Untersuchungsergebnisse. *Surg Res* 1976; 26: 89–103
- ²⁹⁴ Haverkate F, Brakman P. Fibrin plate essay. *Progr Chem Fibrinol Thrombol* 1975; 1: 151–162
- ²⁹⁵ Rotstein D, Pruett TL, Simmons RL. Fibrin in peritonitis. *Ann Surg* 1986; 203: 413–419
- ²⁹⁶ Högström H, Claesson G, Larsson-Backström C, Lundberg D, Wenngren E, Haglund U. Septic shock in the rat: Activation of plasma proteolytic systems and effects of a kallikrein inhibitor/bradykinin antagonist (S-2441). *Acta Chir Scand* 1987; 153: 161–164
- ²⁹⁷ Tagart REB. Colorectal anastomosis: factors influencing success. *J R Soc Med* 1981; 74: 111–118
- ²⁹⁸ Scheele J, Husemann B, Pesch HJ. Kolon-anastomosen im Tierexperiment. Mechanische und morphologische Befunde. *Z Exp Chir* 1978; 11: 110–120
- ²⁹⁹ Lee E. The effect of obstructive jaundice on the migration of reticulo-endothelial cells and fibroblasts into early experimental granulomata. *Br J Surg* 1972; 59: 875–877
- ³⁰⁰ Than T, McGee JO'D, Sokhi GS, Patrick RS, Blumgart LH. Skin prolyl hydroxylase in patients with obstructive jaundice. *Lancet* 1974; 2: 807–808